

1201033

## EPA Region 9 Laboratory

**Client:** US EPA Region 3, Eastern Response Branch (3HS31)  
**Project:** Dimock Residential Groundwater

**Project Number:** R33911

Report To:

US EPA Region 3, Eastern Response Branch (3HS31)  
 Richard Fetzer  
 100 Gypsum Road  
 Stroudsburg, PA 18360  
 Phone: (215) 341-6307  
 Fax: XX

Project Contact

US EPA Region 3, Eastern Response Branch (3HS31)  
 Richard Fetzer  
 100 Gypsum Road  
 Stroudsburg, PA 18360  
 Phone : (215) 341-6307  
 Fax: XX

<u>Shipping</u>		<u>Temp</u>		<u>Custody</u>	<u>Containers</u>	<u>Labels</u>	<u>Preservation</u>	<u>Received</u>	<u>Comments</u>
<u>Containers</u>	<u>Description</u>	<u>C</u>	<u>Seals?</u>	<u>Intact?</u>	<u>COC</u>	<u>Agree?</u>	<u>Confirmed?</u>	<u>on Ice?</u>	
1 Cooler	Cooler	2	Yes	Yes	Yes	No	No	Yes	
2 Cooler	Cooler	3	Yes	Yes	Yes	No	No	Yes	Received 1/30/12 0830

Date Due: 02/18/12 15:00 (21 day TAT)

SDG: 12027B

Received By: Barbara Bates

Date Received: 01/28/12 10:05

Logged In By: Richard Bauer

Date Logged In: 01/30/12 08:22

<u>Analysis</u>	<u>Hold Time</u> <u>Expires</u>	<u>Comments</u>
-----------------	------------------------------------	-----------------

**1201033-01 FB03 [Water] Sampled 01/25/12 10:01 Pacific**

Dissolved HC Gases	02/08/12	5 day prelim results
TPH - Extractable	02/01/12	
TPH - Purgeable	02/08/12	

**1201033-02 HW02 [Water] Sampled 01/25/12 12:58 Pacific**

Dissolved HC Gases	02/08/12	5 day prelim results
TPH - Extractable	02/01/12	
TPH - Purgeable	02/08/12	

**1201033-03 HW02z [Water] Sampled 01/25/12 12:59 Pacific**

Dissolved HC Gases	02/08/12	5 day prelim results
TPH - Extractable	02/01/12	
TPH - Purgeable	02/08/12	

**1201033-04 HW08a [Water] Sampled 01/25/12 11:46 Pacific**

Dissolved HC Gases	02/08/12	5 day prelim results
TPH - Extractable	02/01/12	
TPH - Purgeable	02/08/12	

Two additional vials for RSK rcvd 1/30/12